Applicant: Martin Behringer et al. Attorney's Docket No.: 12406-018001 / 1998 P8100 US

Serial No.: 09/787,186 Filed: March 15, 2001

Page : 4 of 10

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1.-4. (Canceled).

5. (New) A semi-conductor component comprising:

a semiconductor body having a matrix formed from a first semi-conductor material having a first lattice constant, the matrix comprising a sequence of layers,

wherein each layer of the matrix comprises several sub-monolayer islands containing a second semi-conductor material having a second lattice constant different from the first lattice constant, and

wherein the sub-monolayer islands are separated from the one another and embedded in the matrix formed from the first semi-conductor material.

- 6. (New) The semi-conductor component of claim 5, wherein the second semi-conductor material is more highly dopable than the first semi-conductor material.
- 7. (New) The semi-conductor component of claim 5, wherein the separation between consecutive layers of the sub-monolayer islands decreases toward a main surface of the semiconductor body.
- 8. (New) The semi-conductor component of claim 5, further comprising a layer of the second semi-conductor material completely covering a main surface of the semiconductor body.

Applicant: Martin Behringer et al. Attorney's Docket No.: 12406-018001 / 1998 P8100 US

Serial No.: 09/787,186

Filed : March 15, 2001

Page : 5 of 10

9. (New) The semi-conductor component of claim 5, wherein the first semi-conductor material comprises ZnSe and the second semi-conductor material comprises ZnTe.

- 10. (New) The semi-conductor component of claim 8, wherein the layer completely covering the main surface has a thickness less than 10 nm.
- 11. (New) The semi-conductor component of claim 5, wherein a main surface of the semiconductor body has a doping level greater than 10¹⁹cm⁻³.
- 12. (New) The semi-conductor component of claim 7, wherein the main surface of the semiconductor body has a doping level greater than 10^{19} cm⁻³.
- 13. (New) The semi-conductor component of claim 6, wherein the separation between consecutive layers of the sub-monolayer islands decreases toward a main surface of the semiconductor body.
- 14. (New) The semi-conductor component of claim 7, further comprising a layer of the second semi-conductor material completely covering the main surface of the semiconductor body.
- 15. (New) The semi-conductor component of claim 13, further comprising a layer of the second semi-conductor material completely covering the main surface of the semiconductor body.
- 16. (New) The semi-conductor component of claim 5, wherein the first semi-conductor material comprises ZnSe.

Applicant: Martin Behringer et al. Attorney's Docket No.: 12406-018001 / 1998 P8100 US

Serial No.: 09/787,186 Filed: March 15, 2001

Page : 6 of 10

17. (New) The semi-conductor component of claim 5, wherein the second semi-conductor material comprises ZnTe.

18. (New) A semi-conductor component comprising:

a matrix comprising a first semi-conductor material having a first lattice constant, the matrix having a sequence of layers,

wherein each layer of the matrix comprises several sub-monolayer islands containing a second semi-conductor material having a second lattice constant different from the first lattice constant, and

wherein the sub-monolayer islands are separated from the one another and embedded in the matrix.

19. (New) A semi-conductor component comprising:

a matrix comprising ZnSe and defining a sequence of layers, wherein each layer of the matrix comprises several sub-monolayer islands comprising ZnTe, the sub-monolayer islands being separated from the one another and embedded in the matrix; and

a layer comprising ZnTe covering the surface of the matrix.